



Chair

HEAD REST

The head rest is made with ergonomic design.
It surrounds the neck with smooth comfort.
The head rest is convenient to use with
the push of only one button.

BACK REST

An ergonomically slim backrest is designed to provide the ultimate in access and comfort for the dentist's legs and knees.

ARM REST

A simple yet functional armrest provides easy access to the chair without hindrance. It gives ontimal support

Clean space and ease of functionality

With many patients visiting your clinic everyday, hygiene is of the upmost importance. The unit features a glass spittoon and suction filter which are detachable and easy to clean. W's hygienic unit ensures the dentist can work in a relaxed and healthy environment.

Unit

SPITTOON

The spittoon is made of glass for superior protection against chipping and staining and is easily removable for efficient

ASSISTANT TABLE

ASJSTANT TABLE
The smooth pivot point allows the assistant table to swing around the back, allowing various access positions. The unit allows up to 4 instrument holders.

SUCTION FILTER

The suction filter is easily removed for cleaning and disinfection without needing to open the unit.





Advanced digital display

The touch control panel is located in the center of the table making it easy to see at all angles. The control panel is convenient to use with several user modes including a timer and built in memory.

Table

INSTRUMENT HOLDER AND HANDPIECE TUBING

When selecting an instrument, other instruments are automatically turned off. The handpiece tubings are easily removed for cleaning and disinfection.

FILM VIEWER

The film viewer can be installed and removed effortlessly without a power cable.

TOUCH CONTROL PANEL

A visual display unit on the keyboard shows the instrument in use and all selected functions. The maximum and minimum light intensity can be selected by the push of a button. Both light intensity modes are displayed on the LCD monitor. The built in micro computer allows three auto positions for three users respectively. The preferred chair position can be adjusted by a manual push button.

Standard Accessories

Saliva Ejector Suction 3 way syringe Dental light

Option

High speed handpiece Fiber optic handpiece Low speed handpiece Scaler Dental film viewer Panorama film viewer Doctor stool Water warmer Distilled water tank Curing light LCD monitor

Composition

Motor type: Hydraulic Motor Chair Hight: 790±10 mm Max. 450±10 mm Min. Chair Length: 1,850 mm

Light: 15,000 ~ 25,000 Lux

All the specifications can be changed for improvement.



Multi-functional Foot Controller

Integrated multi functional foot control assists with automatic chair positioning.

